

# Immunise – their best protection

Talk to your doctor or practice nurse.



**Pregnancy**

1 injection, between 28-38 weeks covers:

tetanus  
diphtheria  
whooping cough (pertussis)

1 injection covers:

influenza



**6**

Weeks

1 dose by mouth covers:

rotavirus

1 injection covers:

diphtheria  
tetanus  
whooping cough (pertussis)  
polio  
hepatitis B  
Haemophilus influenzae type b (Hib)

1 injection covers:

pneumococcal disease



**3**

Months

1 dose by mouth covers:

rotavirus

1 injection covers:

diphtheria  
tetanus  
whooping cough (pertussis)  
polio  
hepatitis B  
Haemophilus influenzae type b (Hib)

1 injection covers:

pneumococcal disease



**5**

Months

1 injection covers:

diphtheria  
tetanus  
whooping cough (pertussis)  
polio  
hepatitis B  
Haemophilus influenzae type b (Hib)

1 injection covers:

pneumococcal disease



**15**

Months

1 injection covers:

Haemophilus influenzae type b (Hib)

1 injection covers:

measles  
mumps  
rubella

1 injection covers:

pneumococcal disease

1 injection covers:

chickenpox (varicella)



**4**

Years

1 injection covers:

diphtheria  
tetanus  
whooping cough (pertussis)  
polio

1 injection covers:

measles  
mumps  
rubella



**11 & 12**  
Years

1 injection covers:

tetanus  
diphtheria  
whooping cough (pertussis)

2 injections, 6 months apart covers\*:

human papillomavirus (HPV)

It's free. Immunise on time, every time. For more information visit [www.health.govt.nz/immunisation](http://www.health.govt.nz/immunisation)

\*Those aged 15 years or older need 3 doses.

This resource is available from [health.govt.nz](http://health.govt.nz) or the Authorised Provider at your local DHB. Revised March 2017. Code HE1221