

Immunisation record (to be completed by vaccinator)

Age	Vaccine	Batch	Site	Date given	Sign/stamp	Note
Birth	BCG*					
	Hep B**					
	HBIG**					
6 weeks	Rotavirus					
	DTaP-IPV- Hep B/Hib					
	PCV13					
3 months	Rotavirus					
	DTaP-IPV- Hep B/Hib					
	MenB***					
5 months	DTaP-IPV- Hep B/Hib					
	PCV13					
	MenB****					
12 months	PCV13					
	MMR					
	MenB					
15 months	Hib					
	MMR					
	VV					
4 years	DTaP-IPV					

* Children at higher risk of TB should be offered BCG

** Babies of hepatitis B carrier mothers need HBIG and hepatitis B vaccine at birth

*** Can be given at 8 weeks

**** Can be given at 4 months

BCG Bacillus Calmette-Guérin.
 DTaP-IPV Diphtheria-Tetanus-acellular Pertussis
 -inactivated Polio vaccine.
 DTaP-IPV-
 Hep B/Hib Diphtheria-Tetanus-acellular Pertussis
 -inactivated Polio-Hepatitis B/
Haemophilus influenzae type b vaccine.
 HBIG Hepatitis B immunoglobulin.
 Hep B Hepatitis B vaccine.
 Hib *Haemophilus influenzae* type b vaccine.
 MenB Meningococcal B vaccine.
 MMR Measles-Mumps-Rubella vaccine.
 PCV13 Pneumococcal vaccine.
 VV Varicella (chickenpox).

Te Kāwanatanga o Aotearoa
New Zealand Government



Te Whatu Ora
Health New Zealand