


Ageing well



How to be the best
you can be

How to be the best you can be

Growing old is part of life. Most older people live at home independently and make a positive contribution to the community. Their skills and wisdom are an important resource which society needs. While people do change as they get older, old age is not a time of inevitable mental and physical decline. Many of the so-called age related declines can be slowed down or even prevented by positive lifestyle changes.

This booklet focuses on the physical aspects of keeping yourself healthy and safe as you grow older.

The key topics discussed in this booklet are:

- Mobility
- Nutrition
- Sleep
- The senses: hearing, sight, smell
- Oral hygiene
- Foot care
- Skin care
- Screening for cancer
- Bladder control
- Drugs – medicines, alcohol, smoking
- Sexual relations
- Keeping warm in winter
- Safety and security in and outside the home.

Financial security, independence, personal health and safety are certainly factors that determine the lifestyle you have at any age. But the quality of life you have as you get older will also depend on your approach to ageing:

- how well you can adapt and respond to changes
- whether you can maintain confidence in yourself as an individual
- whether you can maintain a sense of humour and fun
- how active you are physically, mentally and socially.

But it is also important for your total health to think about how you can continue to develop the mental, emotional, social and spiritual aspects of your life.

For more information about these aspects read *Ageing is Living – A guide to positive ageing* published by Age Concern New Zealand and available free.

'Plan for the future, live in the present.'

Keeping mobile

Regardless of age, regular physical activity keeps you fit and makes you feel good. Because physical activity increases your heart rate and breathing, the heart and lungs are strengthened and the oxygen supply to the body increases. This means muscles and joints are more likely to be nourished and strengthened and therefore able to work more efficiently. The spin-off is that you have greater mobility, feel more energetic, look better and possibly have more fun.

If your body is not used, then it starts to lose fitness and flexibility. Because of age-related decline, older adults probably benefit more from physical activity than any other age group, but it should be within their capabilities. If you have any medical problems, check with your doctor or nurse before starting or increasing physical activity levels and ask if a Green Prescription is right for you.

Tips for fitness

- Be physically active every day. Try 'snacking' on exercise to keep fit.
- Start off slowly and build up to the recommended daily physical activity levels to prevent injury.
- Practise good posture by distributing the weight evenly on your feet, pulling in your tummy and imagining yourself growing tall. Relax your shoulders and breathe evenly.
- Make your own gentle activity programme.
- Join or form an activity group and enjoy socialising at the same time as being active. Popular choices are:
 - walking
 - swimming
 - aqua aerobics
 - line dancing
 - cycling
 - dancing
 - bowling
 - croquet
 - yoga
 - tai chi
 - gardening.



At the start of the day

Repeat each of these exercises several times while lying down, before getting out of bed.

- Move your feet up and down at the ankles and circle them round in both directions.
- Bend your knees one at a time toward your shoulders.
- Raise your bottom up while keeping your feet flat and knees bent.
- Stretch your arms outwards and upwards over your head.

When you are up, practise walking along a straight line to improve your balance.

For sore backs

Sore and stiff backs can be painful and limiting. You can strengthen the muscles which support your spine by the following exercises done twice a day.

- Stand with feet shoulder width apart, breathe out while bending back, supporting your back with your hands at your waist and holding your neck straight.
- Lie on your back with your hands out at the side, bend both knees and lift them to your chest, roll to left and hold then to right and hold, keeping your shoulders on the floor.
- Lie flat on your back and raise one leg at a time as far as you can without straining. Hold for about 20 seconds before repeating with the other leg.

Also check that your mattress is firm enough to support your back.

Protecting your back when you are lifting

- Keep the load as close to your body as possible.
- Use your legs by placing your feet apart, toes forward and knees bent.
- Keep your back straight.
- Pause between each phase, ie, lift (pause), carry (pause), lower (pause).

For information about stretching, walking etc call the 0800 Active line (0800 228 483).

To find out about physical activities available for older people in your area, contact your local Citizen Advice Bureau, gym, pool, community/recreation centre, or look on your library noticeboard.

'Use it or lose it.'

Eating well

Your metabolic rate slows down as you get older and you probably use less energy than when you were younger. You therefore need fewer calories to maintain the same weight. A balanced, varied diet is essential to give you energy, keep your body strong, and provide protection against illness.

- Eat food from each of these four food groups each day:
 - at least three servings of vegetables and at least two servings of fruit
 - at least six servings of breads and cereals, mostly wholegrain and high in fibre, eg, 2 wheat-based breakfast 'biscuits', 1 slice wholegrain bread, 1 wholegrain roll, 1 cup cooked rice (try brown rice), 1 medium sized muffin, 2 plain biscuits
 - at least three servings of milk and milk products, mostly low- and-reduced fat, eg, 1 glass of milk, 2 slices of cheese
 - at least one serving of meat, poultry, fish, seafood or eggs or two servings of legumes, nuts or seeds.
- Drink at least eight cups of fluid each day – water is the cheapest and the best.
- Have plenty of high-fibre foods such as wholegrain bread, breakfast cereals such as porridge or wheat-based breakfast 'biscuits', vegetables and fruit to help prevent constipation.
- Introduce more legumes (eg lentils, split peas and cooked dried beans) into your diet. They are nutritious and high in fibre. Easy ways to do this include having baked beans on toast, making or buying soups with split peas and barley, or adding a tin of lentils to mince dishes.



- Chew food well, and do not have a heavy meal late at night if you want to avoid indigestion. If indigestion persists, talk about it with your doctor.
- Limit the quantity of foods you eat that are high in fat and/or sugar but low in vitamins and minerals, such as cakes, biscuits, sweets and fried foods.
- If you are overweight, increase the amount of exercise you do and reduce the amount of fatty and sweet food you eat.
- If you are underweight, include nutritious snacks as well as your three meals a day. Great snacks include yoghurt, fruit, nuts, peanut butter on toast, a glass of milk, etc. Check your weight with your doctor.
- Plan meals, especially if you are cooking for yourself.
- Take opportunities to eat meals with other people. You may like to try a new recipe and invite others over to share it with you.
- Cut visible fat off meat and use lower-fat foods.
- Don't add extra salt to foods.
- Keep an emergency supply of foods that will not spoil (eg, tinned and frozen foods), in case you have a period of time when you can't get out.
- Try preparing more food than is needed for one meal, dividing the leftover into meal size portions and freeze. Make sure you label with the date and rotate your supply.

For more information about food and nutrition see the Ministry of Health booklet: *Eating well for healthy older people* (code HE1145), available from your public health service, or ask your doctor or hospital services to recommend a dietitian.

Sleep

The amount of sleep needed varies from person to person. Most experts agree we need less sleep as we get older, probably six and a half hours per night after age 60 is enough for most of us. Some people feel rested after four to five hours sleep while seven to eight hours is normal for others. It's the quality of sleep that is more important than the quantity.

The normal sleep cycle is about one and a half hours and there are usually four or five sleep cycles during the night. Each one is made up of two different kinds of sleep.

- Non-rapid eye movement (nonREM) or quiet sleep usually occurs soon after you go to sleep and involves all the bodily functions including brain waves slowing down. The temperature of the body also drops. This type of sleep is important for physical health.
- Rapid eye movement (REM) or dreaming sleep comes at the end of each sleep cycle and involves a lot of brain activity with dreams, twitching, and irregular brain waves. This type of sleep is important for mental health.

Older people have reduced levels of melatonin – the hormone that governs the sleep-wake cycle, and so the time spent in deep sleep may lessen and REM sleep increase.

If you do not sleep well, here are some tips to help you get a good night.

- Keep regular hours – try to get up and go to bed about the same time each day.

- Have some physical exercise each day – even a short walk will help reduce tension and being outside in the sunlight can improve the quality of your sleep.
- If it suits your lifestyle, eat your main meal in the middle of the day and have a light meal at night.
- Avoid tea, coffee, alcohol, cigarettes and other stimulants in the evening.
- Unwind at the end of the day by enjoying something quiet, like listening to music or reading a book.
- Try to set aside cares and worries that haven't been dealt with during the day. Imagine putting them into an envelope to be opened another time.
- Breathe slowly and deeply a few times when you're in bed, then slowly tighten and relax all your muscles.
- Try not to focus on the fact that you are not asleep.



Sleeping pills are only helpful in the very short term and should not be thought of as a solution to a sleep problem. They can alter your mood, cause loss of concentration and interact with other drugs. You may also find you come to depend on them.

If you are worried about your lack of sleep (insomnia) talk about it with your doctor. You may be referred to a sleep clinic. Insomnia can also be an indication of anxiety or depression, which can be treated.

'To sleep, perchance to dream.'

Hearing

Many older people experience a gradual hearing loss due to ageing changes in the inner ear. The effect of this is a loss of loudness and clarity. Communication with others will be made easier by reducing background noise, having good lighting and keeping a clear view of the face of the person speaking.

Hearing loss can also be caused by other factors, so tell your doctor and have your hearing checked if you have any of these warning signs:

- difficulty with picking out words especially at a distance or when there is background noise
- high notes increasingly hard to hear
- needing to have the television or radio turned up too loud for others
- not always hearing the telephone or doorbell
- ringing or hissing noises continually present.

A hearing aid, if you need one, can be fitted by a qualified audiologist to suit your kind of hearing loss. Today's hearing aids are highly sophisticated technical devices which can help with a lot of problems. It may take a little time to get used to wearing a hearing aid, but it can make a lot of difference to your quality of life.

For more information on hearing, look in your phone book for the nearest branch of the Hearing Association or go to www.hearing.org.nz

Sight

Most of us notice a gradual decline in sight as we get older and need to wear glasses for reading and close-up work. Hardening of the lens reduces sharpness of sight, and it may become more difficult to distinguish shades of colour. Older people also have reduced night vision, and this makes it harder to drive at night.

Report any problems with your eyes to your doctor. This includes:

- any heavy discharge from the eyes
- redness or swelling in or around the eye
- loss of sight
- dimness or double vision
- blind spots
- narrowed field of vision.

It's a good idea to get your sight tested and eyes examined every two to three years. Eye diseases, such as glaucoma, cataracts and macular degeneration that may otherwise go unnoticed can then be treated early. People with diabetes need to be extra careful to manage their condition and should have regular eye screening.



For more information on vision and eye diseases ask your local optometrist for leaflets produced by the New Zealand Association of Optometrists.

Smell

The sense of smell decreases with age and you may find you miss out on many aromas and scents you used to enjoy. As well, you may not notice unpleasant or dangerous odours such as:

- 'off' food
- gas leaks
- smoke
- body odour.

When you can't rely on your sense of smell:

- Make sure you always check use-by dates on your food.
- Get smoke alarms fitted to give you warning of fire. Check batteries monthly.
- Have any gas equipment you use checked regularly.
- Be extra careful about personal hygiene and ventilation.

Oral hygiene

Teeth are important for chewing food in preparation for digestion. Whether you have your own teeth or dentures, it is important to keep them and your gums in good condition. A build-up of plaque (a sticky, invisible film containing bacteria) can irritate and infect the gums resulting in loss of teeth. Regular brushing and flossing and an annual check with your dentist are the keys to good oral hygiene.

Gum infections

See your dentist if you have any of these signs of a gum infection:

- your gums frequently bleed when you brush your teeth
- the colour or shape of your gums changes
- you have persistent bad breath or an unpleasant taste in your mouth
- your teeth start getting loose.

Dentures

Dentures which fit well will enable you to chew better and look better.

- Have your dentures checked every five years as they may need adjusting or replacing.
- See your dentist if your dentures are uncomfortable or are making your mouth sore.
- Clean regularly with a brush and denture cleaner or toothpaste.
- Place dentures in a mug of water if you prefer to take them out at night.

For more information about emergency dental care and assistance for people on low incomes contact your local District Health Board (listed in the phone book) or Work and Income office.

Foot care

Healthy feet are important for a full and active life. Many common foot problems result from disease, long years of wear and tear, ill-fitting shoes, poor circulation to the feet, or toenails that have not been cared for.

To maintain healthy feet podiatrists suggest:

- washing your feet daily and dry well especially between the toes
- trimming your toenails straight across so they are even with the ends of your toes
- inspecting your feet daily for redness, swelling, cracks in the skin or sores
- using a plain moisturiser to keep the skin soft and supple
- resting your feet by putting them up while reading or watching television
- wearing well-fitting supportive shoes
- wearing a clean pair of socks each day

- exercising your feet and toes regularly
- warming your feet slowly if they are cold and protecting them from direct heat
- wearing warm socks or stockings during cold weather, particularly if you suffer from chilblains
- seeing your doctor or a podiatrist if you have an ingrown toenail, any discharge from a nail or corn, or if you cannot easily cut your own toenails.

For more information about foot care, look under 'Podiatrists' in the Yellow Pages.

'Happy feet make a happy face.'

Skin care

As your skin ages it loses its resilience and elasticity and damages more easily. Dry skin, brown patches or broken veins may appear. These changes may be more rapid if you have had long exposure to the sun over many years.

Ways to help keep your skin in good order:

- Use a bland moisturiser regularly on any dry skin.
- Avoid any soaps, shampoos or cosmetics that act as irritants to your skin.
- Use warm rather than very hot water for baths.
- Protect your hands by wearing gloves when gardening.
- Use an approved sunblock (SPF 30+ or more) when exposed to the sun.
- Wear a sunhat to shade your face when outside.
- Get any unexplained rashes or patches of rough skin checked out.
- Report any changes in moles to your doctor. If cancerous, early treatment is more effective.
- Exercise daily to maintain healthy tissue.
- Drink at least eight glasses of water a day.

Screening for cancer

Screening programmes to reduce the incidence or reduce the deaths from two forms of cancer are available in New Zealand.

Cervical screening

Having regular smear tests every three years is the best way of finding and treating abnormal cell changes and preventing cervical cancer from developing. All women should:

- Have a smear test from age 25 to 69 if you have ever been sexually active. At 70, if all your previous tests have been normal, you do not need to have further smear tests.
- Check with your smear taker (doctor or nurse) if you've had a hysterectomy (removal of the uterus) – to see if you still need to continue with smear tests.
- Check with your doctor if you have unusual symptoms at any age.

Breast screening

The chance of women developing breast cancer increases with age. A breast X-ray (mammogram) can detect unusual changes in the breast often before a lump can be felt. This can then be checked to see if it is cancer. Treatment is more likely to be effective if the cancer is found when it is very small.

- If you are 45–69 you are eligible to have free two-yearly screening mammography within the national screening programme, BreastScreen Aotearoa.

Bladder control

Loss of bladder control (incontinence) is not a normal part of ageing. However, it may indicate problems, eg, an infection, constipation, medications, slack muscles, concentrated urine. Whatever the cause, it can mean embarrassment, discomfort and an unpleasant odour.

Ways to maintain good bladder control:

- avoid going to the toilet 'just in case'
- hold on until you really need to go
- drink plenty of fluids, especially water.



Some of the more common bladder problems are:

Stress incontinence

This is when a small amount of urine leaks from the bladder with sudden movement (eg, jumping, sneezing, coughing). Women are more likely to be affected than men as there is often a weakness in the pelvic floor muscles after child bearing. The muscles concerned can be strengthened with specific exercises.

Irritable bladder

Some people have irritable bladders that want to empty frequently. A retraining programme can get the brain to take control again.

Prostate enlargement

Men can have urinary problems from the enlargement of the prostate gland, which can cause difficulty passing urine or controlling the flow. For men over 50, it is

advisable to have the prostate checked, even if there are no symptoms. Ask your doctor for a test.

Don't be afraid to ask for help if you have a continence problem. Careful assessment to sort out the cause and find the best solution can mean a real difference to quality of life. Incontinence can nearly always be managed or treated.

Talk to your doctor or practice nurse about exercises to improve bladder control and your pharmacist for further information about continence support.

'Incontinence does not signal incompetence.'

Drugs – medicines, alcohol and smoking

As you get older your body processes what you put into it differently. This means that you will be more affected by drugs than you were when you were younger. This includes alcohol and tobacco as well as medicines.

Medicines

Older people are more likely to have side effects from both prescribed and over-the-counter drugs. There may also be interaction between alcohol, medicines and other drugs. Sometimes this can lead to falls, depression, confusion.

- Make sure you know what medicines you're taking, why you need them and whether to expect any side effects.
- Follow instructions on the label and take the amount prescribed.

- Try a 'pill organiser', available from your pharmacy, for keeping a check on your daily tablets.
- Check whether you should avoid alcohol or other drugs while taking the medicine.
- Report any possible reactions to medicines, eg, dizziness, indigestion, rashes, to your doctor.

For more information on medicines, talk to your pharmacist or ask for the Age Concern factsheet on medication use. (See page 26.)

Alcohol

Older people are more susceptible to alcohol-related problems. You've probably noticed that as the body ages it is less able to deal with the effects of drinking. The liver is less able to process alcohol. This often means higher blood alcohol concentrations and stronger reactions to heavy consumption. One or two glasses of alcohol occasionally are not likely to be harmful. However, it is not advisable to drink every day.



Heavy drinking can cause diseases of the liver, heart, stomach, and kidneys and problems such as depression, insomnia, forgetfulness, confusion and shakiness. Drinking also increases the likelihood of accidents and falls.

Remember for all of us, regardless of age:

- It is not safe to drink and drive.
- Drinking can affect relationships with other people.
- Alcohol is no substitute for food as it is high in calories and low in nutrients.
- Alcohol can alter the effect of medicines and cause unwanted reactions.

For a guide to the safe amount of alcohol to drink, see the Health Promotion Agency's *Alcohol and Older People* brochure available from your doctor, Age Concern or Alcohol and Drug Services, or, for further advice contact the Alcohol Drug Helpline 0800 787 797.

Smoking

We all know tobacco contains chemicals that damage the body and can cause death and disease. The risk of developing tobacco-related diseases is greatest for those who have smoked heavily for a long time. Smokers have a far greater risk of:

- heart attack
- stroke
- lung cancer
- bronchitis
- emphysema
- mouth and throat cancers.

Giving up smoking at any age can significantly enhance your health and reduce your risks of heart disease and stroke. Many older people have also made the decision to give up smoking to protect the health of those they live with or see regularly.

You can get information and help to break the habit if you are a smoker. A national toll free Quit line is available for help and advice: 0800 778 778.

Sexual relations

Both male and female interest in sex may undergo changes in older age, but most older people can lead an active and satisfying sex life if they want to.

As at any other age this is a matter of individual circumstances and preferences.

After the menopause in women, the vagina loses some of its natural lubricant and may feel dry and sore during intercourse. If this happens, ask your doctor to prescribe a hormonal cream. Fear of becoming impotent is sometimes a worry for older men. Talk to your doctor if this is a problem for you.

For good relations with your partner:

- Keep lines of communication open.
- Talk through any problems when they occur.
- Remember touching can give pleasure, but does not have to lead to intercourse.
- Try to make your sex life fun, not routine and boring.



For more information contact the Family Planning Association for advice. See your phone book for contact details or go to www.familyplanning.org.nz.

Keeping warm and well in winter

Older people are at greater risk of hypothermia due to reduced activity, less awareness of cold and the effects of some drugs. Living in a cold environment also increases the risk of heart attack, stroke and pneumonia. Influenza can be avoided or at least reduced in severity each winter by having an influenza vaccination in autumn.

- Keep the main living areas at a comfortable temperature between 18 and 22°C. Use a wall thermometer or a thermostat on your heater.
- Make sure you have a supply of fuel.
- Consider putting insulation in ceiling spaces and sealing windows and doors for draughts.
- Regard heat as a health matter and not as a luxury.
- See your doctor about influenza vaccination each autumn.

Keeping safe at home

Everyone's home is different, so it pays to be aware of your surroundings and things that could make your home unsafe.

Reducing the risk of falls

Keeping yourself safe when you move around your home is important. ACC covers several areas of safety at home on their website. For further information, see www.acc.co.nz/preventing-injury/trips-falls/

Gardening and maintenance

Suggestions for safer gardening and maintenance:

- avoid lifting heavy bags of weeds and compost, or tugging at stubborn weeds
- stand straight or kneel. Avoid bending by choosing long-handled and lightweight tools and using raised beds or planters

- ask someone else to do routine home maintenance, if you need help
- don't try to move heavy furniture yourself, or to open a window or door that is heavy or stuck
- get help to reach or to do work that is above your head. If that isn't possible, be sure to use a sturdy step stool rather than standing on a wobbly chair
- steady yourself when bending down by holding onto something secure.

Bathrooms

Avoid slipping or falling by:

- using non-slip mats in the shower and bath
- having solid grab bars or handrails installed in toilet, bath and shower areas
- using a bath seat and hand-held unit in the shower
- when putting on make-up, shaving, or brushing your hair, use a mirror that can be pulled out towards you.

Lighting

Lighting suggestions:

- use light switches that can be reached easily without getting out of bed or keep a torch by the bed for night use (check the batteries often)
- keep lights on in any area you may need to walk to at night
- think about installing night lights in areas such as the bathroom and hallway if you regularly get up in the night.

Floors and steps

Safety suggestions:

- remove or firmly anchor rugs, as they may slide or bunch up and cause you to fall
- keep clutter and cords out of your way
- always use the hand rail on stairways and steps – have these installed if they are not already
- watch out for pets or other objects that may cause you to trip or fall
- wear low-heeled, supportive and secure shoes with rubber soles.

Bedrooms

Helpful suggestions:

- sit down to get dressed, and bring your foot up across the opposite knee when you are putting on shoes
- take your time getting up from lying down. Roll onto your side, sit up slowly on the side of your bed, then stand slowly. Move away only when you have your balance
- bend from the hips and knees when you make your bed. Pull on one layer of bedding at a time to avoid back strain, and tuck covers in while kneeling.

Kitchens

Kitchen safety suggestions:

- store frequently used items between eye level and hip height so you don't have to bend down or reach overhead. Use a step-ladder or hand reacher if you need to get things from high places
- when moving dishes in and out of the oven or dishwasher, sit or stand at the side, rather than leaning forward over the door.

Being prepared in case you have a fall

Even when you are safety aware, accidents can happen and you may find yourself on the ground after a fall. Here are some ideas for planning ahead, and steps to help get you upright again.

Make a plan

Think about how you might be able to get help quickly if you fall. Discuss your plans with friends, family or neighbours.

Suggestions:

- have your telephone within easy reach, even if you're on the floor
- leave a spare key in a secure place outside, or with someone you trust
- get a personal medical alarm.

If you fall

- Stay calm and assess your situation.
- Decide whether you'll try to get up.
- If you can get up, use something sturdy to support yourself.
- Get medical help if you need it, and tell your doctor about the fall.
- If you can't get up, try to get to the phone or call out to attract attention, and make yourself as comfortable as possible until help arrives.



'Don't be afraid to ask for help.'

Where to go for more information

This list of organisations and services will help you find further information and resources about aspects of ageing.

Age Concern New Zealand

Address: PO Box 10-688, Wellington 6143

Website: www.ageconcern.org.nz

Services: advice, support and resources for both older people and their families and carers. The free resources include the *Ageing is Living* booklet and other positive ageing factsheets.

Citizens Advice Bureau

Phone: 0800 367 222

Website: www.cab.org.nz

Services: information on local groups, club and services

Hearing Association

Phone: 0800 233 445

Website: www.hearing.org.nz

Services: hearing tests and advice

Blind + Low Vision NZ

Phone: 0800 243 333

Website: www.blindlowvision.org.nz

Senior Net

Phone: 0800 736 467

Website: www.seniornet.co.nz

Services: computer training, advice

Regional Sports Trusts

Phone: 0800 228 483 (0800 ACTIVE)

Website: www.sportnz.org.nz

Services: sport and recreation programmes and events

For these organisations or services look in your local phone book

- **GP or practice nurse:** for information and advice
- **Public health units:** for information and advice
- **Libraries:** for information and notices



**This resource is available from www.healthed.govt.nz
or the Authorised Provider at your local DHB.**

**ISBN 978-0-478-41165-2 (print)
ISBN 978-0-478-41166-9 (online)**

New Zealand Government



Revised March 2020. 03/2020.

Code HE1148